Table of contents

Abbott AG → Rajapakse S
Abo-elwafa A, Murai K, Shimada T: Intra- and Inter-specific variations in *Lens* revealed by RAPD markers 335
Aderkas P von → Pattanavibool R
Ajmone-Marsan P, Monfredini G, Ludwig WF, Melchinger AE, Franceschini P, Pagnotto G, Motto M: In an elite cross of maize a major quantitative trait locus controls one-fourth of the genetic variation for grain yield 415
Akagi H, Nakamura A, Sawada R, Oka M, Fujimura T: Genetic diagnosis of cytoplasmic male sterile cybrid plants of rice 948
Akkaya MS → Rongwen J
Aledo R, Raz R, Monfort A, Vicient CM, Puigdomènech P, Martínez-Izquierdo JA: Chromosome localization and characterization of a family of long interspersed repetitive DNA elements from the genus *Zea* 1094
Alston FH → Batlle I
Arcioni S → Pupilli F
Arens-De Reuver JMB → Salentijn EMJ
Arus P → Hu J
Asay KH → Hsiao C
Asíns MJ, Herrero R, Navarro L: Factors affecting *Citrus*tree isozyme-gene expression 892

Ba Bong B, Swaminathan MS: Magnitude of hybrid vigor retained in double haploid lines of some heterotic rice hybrids 253
Bachmann K → Hombergen E-J
Backes G, Graner A, Foroughi-Wehr B, Fischbeck G, Wenzel G; Jahoor A: Localization of quantitative trait loci (QTL) for agronomic important characters by the use of a RFLP map in barley (*Hordeum vulgare*L.) 294
Badenes ML, Parfitt DE: Phylogenetic relationships of cultivated *Prunus* species from an analysis of chloroplast DNA variation 1035
Baird WV → Rajapakse S
Balatero CH, Darvey NL, Luckett DJ: Genetic analysis of anther-culture response in 6x triticale 279
Balint-Kurti PJ, Jones DA, Jones JDG: Integration of the classical and RFLP linkage maps of the short arm of tomato chromosome 1 17
Ballard RE → Rajapakse S
Bannerot H → Mahé A
Baoprasertkul P → Myers JM
Bark OH, Havey MJ: Similarities and relationships among populations of the bulb onion as estimated by nuclear RFLPs 407
Barzen E, Mechelke W, Ritter E, Schulte-Kappert E, Salamini F: An extended map of sugar beet genome containing RFLP and RAPD loci 189
Basavaraju Y → Myers JM
Basnayake J; Cooper M, Ludlow MM, Henzell RG, Snell PJ: Inheritance of osmotic adjustment to water stress in three grain sorghum crosses 675
Batlle I, Alston FH, Evans KM: The use of the isoenzymic marker gene *Got-1* in the recognition of incompatibility *S* alleles in apple 303
Bauchan GR → Diwan N
Baudouin L, Cao TV, Gallais A: Analysis of the genetic effects for several traits in oil palm (*Elaeis guineensis*Jacq.) populations. I. Population means 561
Baumer M → Schweizer GF
Beaver JA, Iezzoni AF, Ramm CW: Isozyme diversity in sour, sweet, and ground cherry 847
Belthoff LE → Rajapakse S
Benet H, Guries RP, Boury S, Smalley EB: Identification of RAPDmarkers linked to a black leaf spot resistance gene in Chinese elm 1068
Bequette RK → Cox TS
Bernard M → Bonhomme A
Bernard M → Le Corre V
Bertolucci FL → Grattapaglia D
Bervillé A → Gentzbittel L
Beschorner M, Plümper B, Odenbach W: Analysis of self-incompatibility interactions in 30 resynthesized *Brassica napus* lines. I. Fluorescence microscopic studies 665
Bhagwat AA → Rongwen J
Biancardi AM → Pogna NE
Biffi R → Restivo FM
Birch RG → Taylor PWJ
Bishop SC: A comparison of Bonus and Quota mating systems for utilising the sex-determining region Y gene in terminal sire beef cattle breeding 487
Boiteux LS: Allelic relationships between genes for resistance to tomato spotted wilt tospovirus in *Capsicum chinse* 146
Bonga JM → Pattanavibool R
Bonhomme A, Gale MD, Koebner RMD, Nicolas P, Jahier J, Bernard M: RFLP analysis of an *Aegilops ventricosa*chromosome that carries a gene conferring resistance to leaf rust (*Puccinia recondita*) when transferred to hexaploid wheat 1042
Borisjuk N → Zanke C
Boury S → Benet H
Bradshaw JE, Stewart HE, Wastie RL, Dale MFB, Phillips MS: Use of seedling progeny tests for genetical studies as part of a potato (*Solanum tuberosum* subsp. *tuberosum*) breeding programme 899
Bradshaw JE → Clulow SA
Brar JS → Gill JS
Brauner S → Karihaloo JL
Brennan PS → Cooper M
Brennan RM → Lanham PG
Bromage N → Myers JM
Bryan GJ → Devos KM
Buckley PM → Williams WP
Budding DJ → Colon LT
Bünger T → Sharma PC
Bürstmayr H → Eeuwijk FA van
Businelli S → Pupilli F
Busso CS, Liu CJ, Hash CT, Witcombe JR, Devos KM, Wet JMJ de, Gale MD: Analysis of recombination rate in female and male gametogenesis in pearl millet (*Pennisetum glaucum*) using RFLP markers 242
Butler LG → Cai T

Caceres ME → Pupilli F
Cai D → Kleine M
Cai T, Ejeta G, Butler LG: Screening for grain polyphenol variants from high-tannin sorghum somaclones 211
Calderini O, Mariani A: Megagametophyte organization in diploid alfalfa meiotic mutant producing 4n pollen and 2n eggs 135
Callahan A → Rajapakse S
Cantet RJC → Lo LL
Cao TV → Baudouin L
Caporal E → Restivo FM
Carboni A → Restivo FM
Ceccarelli S → Singh M
Champoux MC, Wang G, Sarkarung S, Mackill D-J, O'Toole JC, Huang N, McCouch SR: Locating genes associated with root morphology and drought avoidance in rice via linkage to molecular markers 969
Chatterton NJ → Hsiao C
Chen PD → Li WL
Chiang K-S → Dai H
Chowdari KV → Ramakrishna W
Christou P → Cooley J
Clulow SA, McNicoll J, Bradshaw JE: Producing commercially attractive, uniform true potato seed progenies: the influence of breeding scheme and parental genotype 519
Collins AJ → Devos KM
Colon LT, Jansen RC, Budding DJ: Partial resistance to late blight (*Phytophthora infestans*) in hybrid progenies of four South-American *Solanum* species crossed with diploid *S. tuberosum* 691
Cooley J, Ford T, Christou P: Molecular and genetic characterization of elite transgenic rice plants produced by electric-discharge particle acceleration 97
Cooper M, Woodruff DR, Eisemann RL, Brennan PS, DeLacy IH: A selection strategy to accommodate genotype-by-environment interaction for grain yield of wheat: managed environments for selection among genotypes 492
Cooper M → Basnayake J
Corbaz R → Savolainen V
Corgan JN → Ulloa-G M
Cortes A → Mujeeb-Kazi A
Cox TS, Sears RG, Bequette RK: Use of winter wheat × *Triticum tauschii* backcross populations for germplasm evaluation 571
Cregan PB → Rongwen J
Cromey MG → Ghannadha MR
Cui Y-X → Yu G-W
Cui YX, Xu GW, Magill CW, Schertz KF, Hart GE: RFLP-based assay of *Sorghum*

bicolor(L.) Moench genetic diversity 787
Curioni A → Pogna NE

Dai H, Lo Y-S, Wang T-S, Chiang K-S: Variation in protein and RNA synthesis activity in isolated mitochondria of the developing rice (*Oryza sativa*L.) panicle 1112
Dale MFB → Bradshaw JE
Damiani F → Pupilli F
Dancik BP → Rajora OP
Daniel G → Schweizer GF
Darvey NL → Balatero CH
Davis FM → Williams WP
De Bock ThSM → Salentijn EMJ
Dedio J, Saedler H, Forkmann G: Molecular cloning of the flavanone 3β-hydroxylase gene (FHT) from carnation (*Dianthus caryophyllus*) and analysis of stable and unstable FHT mutants 611
DeLacy IH → Cooper M
Devos KM, Bryan GJ, Collins AJ, Stephenson P, Gale MD: Application of two microsatellite sequences in wheat storage proteins as molecular markers 247
Devos KM → Busso CS
Dias LAS, Kageyama PY: Combining-ability for cacao (*Theobroma cacao*L.) yield components under southern Bahia conditions 534
Dimitrijevic TAF → Jack PL
Diwan N, McIntosh MS, Bauchan GR: Methods of developing a core collection of annual *Medicago* species 755
Dixkens C → Link W
Doldi ML → Restivo FM
Doležel J, Lucretti S: High-resolution flow karyotyping and chromosome sorting in *Vicia faba*lines with standard reconstructed karyotypes 797
Doyle JJ → Zhu T
Dunford M → Ulloa-G M
Durel CE → Plomion C
Dvorak J → Zhong G-Y

Ecke W → Uzunova M
Eeuwijk FA van, Mesterhazy A, Kling Chl, Ruckenbauer P, Saur L, Bürstmayer H, Lemmens M, Keizer LCP, Maurin N, Snijders CHA: Assessing non-specificity of resistance in wheat to head blight caused by inoculation with European strains of *Fusarium culmorum*, *F. graminearum* and *F. nivale* using a multiplicative model for interaction 221
Eisemann RL → Cooper M
Ejeta G → Cai T
Elbl C → Kleine M
Elsen JM → Le Roy P
Elston RC → Hagger C
Endo TR → Mickelson-Young L
Estager AE → Rajapakse S
Evans KM → Batlle I

Falavigna A → Restivo FM
Fernando RL → Lo LL
Ferreira ME, Satagopan J, Yandell BS, Williams PH, Osborn TC: Mapping loci controlling vernalization requirement and flowering time in *Brassica napus* 727
Feuillet C → Schachermayr GM
Fischbeck G → Backes G
Fiske H → Robbins TP
Flowers TJ → Garcia A
Fogelman M → Hadas R
Ford T → Cooley J
Ford-Lloyd BV → Virk PS
Forkmann G → Dedio J
Foroughi-Wehr B → Backes G
Franceschini P → Ajmone-Marsan P
Francis HA, Leitch AR, Koebner RMD: Conversion of a RAPD-generated PCR product, containing a novel dispersed repetitive element, into a fast and robust assay for the presence of rye chromatin in wheat 636
Franz G → Kerremans P
Fraser TA → Taylor PWJ
Friebe B, Jiang J, Tuleen N, Gill BS: Standard karyotype of *Triticum umbellulatum* and the characterization of derived chromosome addition and translocation lines in common wheat 150
Fujimura T → Akagi H

Gale MD → Bonhomme A
Gale MD → Busso CS
Gale MD → Devos KM
Galiba G, Quarrie SA, Sutka J, Morgounov A, Snape JW: RFLP mapping of the vernalization (*Vrn1*) and frost resistance (*Fr1*) genes on chromosome 5A of wheat 1174
Galiba G → Upelniek VP
Gallais A → Baudouin L
Garcia A, Senadhira D, Flowers TJ, Yeo AR: The effects of selection for sodium transport and of selection for agronomic characteristics upon salt resistance in rice (*Oryza sativa*L.) 1106
Geijskes JR → Taylor PWJ
Gentzbittel L, Vear F, Zhang Y-X, Bervillé A, Nicolas P: Development of a consensus linkage RFLP map of cultivated sunflower (*Helianthus annuus*L.) 1079
Gerats AGM → Robbins TP
Ghannadha MR, Gordon IL, Cromey MG, McEwan JM: Diallel analysis of the latent period of stripe rust in wheat 471
Giannini R → Vicario F
Gibson JP → Meuwissen THE
Gill BS → Friebe B
Gill BS → Mickelson-Young L
Gill JS, Verma MM, Gumber RK, Brar JS: Comparative efficiency of four selection methods for deriving high-yielding lines in mungbean [*Vigna radiata*(L.) Wilczek] 554
Goffinet B → Lorieux M
Goffinet B → Lorieux M
Goldman I → Paran I
Goldman IL, Paran I, Zamir D: Quantitative trait locus analysis of a recombinant inbred line population derived from a *Lycopersicon esculentum*×*Lycopersicon cheesmanii* cross 925
González de León D → Lorieux M
González de León D → Lorieux M
González-de-León D → Leblanc O
Gordon IL → Ghannadha MR
Gottlieb LD → Karihaloo JL
Gottlieb LD → Karihaloo JL
Graham J, McNicol RJ: An examination of the ability of RAPD markers to determine the relationships within and between *Rubus* species 1128
Graner A → Backes G
Granot D → Hadas R
Grattapaglia D, Bertolucci FL, Sederoff RR: Genetic mapping of QTLs controlling vegetative propagation in *Eucalyptus grandis* and *E. urophylla* using a pseudo-testcross strategy and RAPD markers 933
Graybosch RA → Lee JH
Grebenstein B, Grebenstein O, Sauer W, Hemleben V: Characterization of a highly repeated DNA component of perennial oats (*Helictotrichon*, Poaceae) with sequence similarity to a A-genome-specific satellite DNAof rice (*Oryza*) 1101
Grebenstein O → Grebenstein B
Gresshoff PM → Kolchinsky A
Grimanelli D → Leblanc O
Grisvard J → Mahé A
Grossman M → Lo LL
Gumber RK → Gill JS
Gupta VS → Ramakrishna W
Guries RP → Benet H
Gustafson JP → Song YC

Hackett C → Lanham PG
Hadas R, Schaffer A, Miron D, Fogelman M, Granot D: PCR-generated molecular markers for the invertase gene and sucrose accumulation in tomato 1142
Hagger C, Stricker C, Elston RC, Stranzinger G: Lack of evidence for segregation of a single dominant major gene as the cause of the difference in egg weight between two highly inbred lines of chickens 120
Hamrick JL → Williams CG
Hanhijärvi A → Pattanavibool R
Harrison GE, Heslop-Harrison JS: Centromeric repetitive DNA sequences in the genus *Brassica* 157
Hart GE → Cui YX
Hart GE → Yu G-W
Hartl L, Weiss H, Stephan U, Zeller FJ, Jahoor A: Molecular identification of powdery mildew resistance genes in common wheat (*Triticum aestivum* L.) 601
Hash CT → Busso CS
Havey MJ: Identification of cytoplasms using the polymerase chain reaction to aid in the extraction of maintainer lines from open-pollinated populations of onion 263
Havey MJ → Bark OH
He G → Rajapakse S
He S, Yu Z-H, Vallejos CE, Mackenzie SA: Pollen fertility restoration by nuclear gene *Fr*in CMS common bean: and *Fr* linkage map and the mode of *Fr* action 1056
Hemleben V → Grebenstein B
Hemleben V → Zanke C
Henry RJ → Taylor PWJ
Henzell RG → Basnayake J
Herrero R → Asíns MJ
Herrmann RG → Kleine M

Hershberger WK → Silverstein JT
Heslop-Harrison JS → Harrison GE
Hirai K → Irifune K
Hombergen E-J, Bachmann K: RAPD mapping of three QTLs determining trichome formation in *Microseris* hybrid H27 (Asteraceae:Lactuceae) 853
Hosaka K: Successive domestication and evolution of the Andean potatoes as revealed by chloroplast DNArestriction endonuclease analysis 356
Hsiao C, Chatterton NJ, Asay KH, Jensen KB: Molecular phylogeny of the Pooideae (Poaceae) based on nuclear rDNA (ITS) sequences 389
Hu J, Quiros C, Arus P, Struss D, Robbelen G: Mapping of a gene determining linolenic acid concentration in rapeseed with DNA-based markers 258
Hu Z, Zhang X, Xie C, McDaniel GR, Kuhlers DL: A correlation method for detecting and estimating linkage between a marker locus and a quantitative trait locus using inbred lines 1074
Huang N → Champoux MC
Hühn M: Determining the linkage of disease-resistance genes to molecular markers: the LOD-SCORE method revisited with regard to necessary sample sizes 841
Hüttel B → Sharma PC

Iezzoni AF → Beaver JA
Ikehashi H → Yanagihara S
Irifune K, Hirai K, Zheng J, Tanaka R, Morikawa H: Nucleotide sequence of a highly repeated DNAsequence and its chromosomal localization in *Allium fistulosum* 312
Ishikawa K → Yanagihara S
Ishimoto M, Suzuki K, Iwanaga M, Kikuchi F, Kitamura K: Variation of seed α-amylase inhibitors in the common bean 425
Ishimoto M → Suzuki K
Islam-Faridi MN, Mujeeb-Kazi A: Visualization of *Secale cereale*DNA in wheat germ plasm by fluorescent in situ hybridization 595
Iwanaga M → Ishimoto M
Iwanaga M → Suzuki K

Jack PL, Dimitrijevic TAF, Mayes S: Assessment of nuclear, mitochondrial and chloroplast RFLP markers in oil palm (*Elaeis guineensis* Jacq.) 643
Jackson MT → Virk PS
Jahier J → Bonhomme A
Jahoor A → Backes G
Jahoor A → Hartl L
Jansen RC → Colon LT
Jauhar PP: Meiosis and fertility of F_1 hybrids between hexaploid bread wheat and decaploid tall wheatgrass (*Thinopyrum ponticum*) 865
Jauhar PP: Morphological and cytological characteristics of some wheat × barley hybrids 872
Jensen KB → Hsiao C
Jiang J → Friebe B
Johnson E, Miklas PN, Stavely JR, Martinez-Cruzado JC: Coupling- and repulsion-phase RAPDs for marker-assisted selection of PI 181996 rust resistance in common bean 659
Johnstone R, Stet RJM: The production of gynogenetic Atlantic salmon, *Salmo salar* L. 819
Jones DA → Balint-Kurti PJ
Jones JDG → Balint-Kurti PJ
Joppa LR → Riede CR
Jorgensen RA → Robbins TP
Jung C → Kleine M

Kageyama PY → Dias LAS
Kahl G → Sharma PC
Karihaloo JL, Brauner S, Gottlieb LD: Random amplified polymorphic DNA variation in the eggplant, *Solanum melongena* L. (Solanaceae) 767
Karihaloo JL,Gottlieb LD: Allozyme variation in the eggplant, *Solanum melongena* L. (Solanaceae) 578
Katayose Y → Wang ZX
Kawahara T → Mukai Y
Kawata M, Ohmiya A, Shimamoto Y, Oono K, Takaiwa F: Structural changes in the plastid DNAof rice (*Oryza sativa* L.) during tissue culture 364
Keim P → Zhu T
Keizer LCP → Eeuwijk FA van
Keller B → Schachermayr GM
Kerremans P, Franz G: Use of a temperature-sensitive lethal mutation strain of medfly (*Ceratitis capitata*) for the suppression of pest populations 511
Kertadikara AW, Prat D: Isozyme variation among teak (*Tectona grandis*L.f.) provenances 803
Kikuchi F → Ishimoto M
Kikuchi F → Suzuki K
Kinoshita T → Senda M
Kirzhner VM → Ronin YI
Kitamura K → Ishimoto M
Kitamura K → Suzuki K
Klein-Lankhorst RM → Salentijn EMJ
Kleine M, Cai D, Elbl C, Herrmann RG, Jung C: Physical mapping and cloning of a translocation in sugar beet (*Beta vulgaris* L.) carrying a gene for nematode (*Heterodera schachtii*) resistance from *B. procumbens* 399
Klimaszewska K → Nkongolo KK
Kling Chl → Eeuwijk FA van
Knight RJ Jr. → Schnell RJ
Ko H-L → Taylor PWJ
Koebner RMD: Generation of PCR-based markers for the detection of rye chromatin in a wheat background 740
Koebner RMD → Bonhomme A
Koebner RMD → Francis HA
Kolchinsky A, Gresshoff PM: A major satellite DNA of soybean is a 92-base pairs tandem repeat 621
Kondo T → Mukai Y
Koornneef M → Wolters AMA
Korol AB → Ronin YI
Krupnov VA → Sibikeev SN
Krutovskii KV, Politov DV: Allozyme evidence for polyzygotic polyembryony in Siberian stone pine (*Pinus sibirica* Du Tour) 811
Kubisiak TL, Nelson CD, Nance WL, Stine M: RAPDlinkage mapping in a longleaf pinexslash pine F_1 family 1119
Kuhlers DL → Hu Z
Kuramoto N → Mukai Y
Kurata N → Wang ZX

Labarère J → Noël T
Lagu MD → Ramakrishna W
Lamb EM → Stevens MR
Lanaud C → Lorieux M
Lanaud C → Lorieux M
Lange W → Salentijn EMJ
Lanham PG, Brennan RM, Hackett C, McNicol RJ: RAPD fingerprinting of blackcurrant (*Ribes nigrum* L.) cultivars 166
Lavi U → Rongwen J
Le Corre V, Bernard M: Assessment of the type and degree of restriction fragment length polymorphism (RFLP) in diploid species of the genus Triticum 1063
Le Roy P, Elsen JM:Numerical comparison between powers of maximum likelihood and analysis of variance methods for QTL detection in progeny test designs: the case of monogenic inheritance 65
Leblanc O, Grimanelli D, González-de-León D, Savidan Y: Detection of the apomictic mode of reproduction in maize-*Tripsacum*hybrids using maize RFLP markers 1198
Lee JH, Graybosch RA, Peterson CJ: Quality and biochemical effects of a IBL/IRS wheat-rye translocation in wheat 105
Lee M → Pereira MG
Leitch AR → Francis HA
Lemmens M → Eeuwijk FA van
Lewin HA → Yang Da
Lewis PO → Williams CG
Li WL, Chen PD, Qi LL, Liu DJ: Isolation, characterization and application of a species-specific repeated sequence from *Haynaldia villosa* 526
Lin H-X → Qian H-R
Lindhout P → Sandbrink JM
Link W, Dixkens C, Singh M, Schwall M, Melchinger AE: Genetic diversity in European and Mediterranean faba bean germ plasm revealed by RAPDmarkers 27
Liò P → Vicario F
Littlejohn GM, Pienaar R de V: *Thinopyrum Distichum* Addition Lines: Production, Morphological and Cytological Characterisation of 11 Disomic Addition Lines and Stable Addition-Substitution Line 33
Liu C-Y, Shepherd KW: Inheritance of B subunits of glutenin and ω- and γ-gliadins in tetraploid wheats 1149
Liu CJ → Busso CS
Liu DJ → Li WL
Liu Y-G → Mori N
Lo LL, Fernando RL, Cantet RJC, Grossman M: Theory for modelling means and covariances in a two-breed population with dominance inheritance 49
Lo Y-S → Dai H
Lodhi MA, Reisch BI: Nuclear DNAcontent of *Vitis* species, cultivars, and other genera of the Vitaceae 11
Lorieux M, Goffinet B, Perrier X, González de León D, Lanaud C: Maximum-likelihood models for mapping genetic

markers showing segregation distortion. 1. Backcross populations 73
Lorieux M, Perrier X, Goffinet B, Lanaud C, González de León D: Maximum-likelihood models for mapping genetic markers showing segregation distortion. 2. F_2 populations 81
Louie R → Simcox KD
Lu J → Qian H-R
Luby JJ, McNicol RJ: Gene flow from cultivated to wild raspberries in Scotland: developing a basis for risk assessment for testing and deployment of transgenic cultivars 1133
Luckett DJ → Balatero CH
Lucretti S → Doležel J
Ludlow MM → Basnayake J
Ludwig WF → Ajmone-Marsan P
Lukaszewski AJ: Physical distribution of translocation breakpoints in homoeologous recombinants induced by the absence of the *Ph1* gene in wheat in triticale 714

Mackenzie SA → He S
Mackill D-J → Champoux MC
Magill CW → Cui YX
Mahé A, Bannerot H, Grisvard J: Construction of near-isogenic lines to investigate the efficiency of different resistance genes to anthracnose 859
Mahon JD → Rajora OP
Manen J-F → Savolainen V
Mariani A → Calderini O
Martinez-Cruzado JC → Johnson E
Martínez-Izquierdo JA → Aledo R
Maruyama K → Yanagihara S
Marziani GP → Restivo FM
Maurin N → Eeuwijk FA van
Mayes S → Jack PL
McAndrew BJ → Myers JM
McCouch SR → Champoux MC
McCouch SR → Yanagihara S
McDaniel GR → Hu Z
McEwan JM → Ghannadha MR
McIntosh MS → Diwan N
McMullen MD → Simcox KD
McNicol RJ → Graham J
McNicol RJ → Lanham PG
McNicol RJ → Luby JJ
McNicoll J → Clulow SA
Mechelke W → Barzen E
Melchinger AE → Ajmone-Marsan P
Melchinger AE → Link W
Messmer MM → Schachermayr GM
Mesterhazy A → Eeuwijk FA van
Metakovsky EV → Pogna NE
Metakovsky EV → Upelniek VP
Metakovsky EV → Vaccino P
Meuwissen THE, Gibson JP, Quinton M: Genetic improvement of production while maintaining fitness 627
Mickelson-Young L, Endo TR, Gill BS: A Cytogenetic ladder-map of the wheat homoeologous group-4 chromosomes A 1007
Mikami T → Senda M
Miklas PN → Johnson E
Miller JD → Riede CR
Miller JD → Riede CR
Minobe Y → Wang ZX
Miron D → Hadas R
Moncousin C → Savolainen V
Monet R → Rajapakse S
Monfort A → Aledo R
Monfredini G → Ajmone-Marsan P
Morgounov A → Galiba G
Mori N, Liu Y-G, Tsunewaki K: Wheat phylogeny determined by RFLP analysis of nuclear DNA. 2. Wild tetraploid wheats 129
Morikawa H → Irifune K
Motoyoshi F → Ohmori T
Motto M → Ajmone-Marsan P
Mujeeb-Kazi A, Cortes A, Riera-Lizarazu O: The cytogenetics of a *Triticum turgidum*×*Psathyrostachys juncea* hybrid and its backcross derivatives 430
Mujeeb-Kazi A → Islam-Faridi MN
Mujeeb-Kazi A → William MDHM
Mukai Y, Suyama Y, Tsumura Y, Kawahara T, Yoshimaru H, Kondo T, Tomaru N, Kuramoto N, Murai M: A linkage map for sugi (*Cryptomeria japonica*) based on RFLP, RAPD, and isozyme loci 835
Murai K → Abo-elwafa A
Murai M → Mukai Y
Murata M → Ohmori T
Myers JM, Penman DJ, Basavaraju Y, Powell SF, Baoprasertkul P, Rana KJ, Bromage N, McAndrew BJ: Induction of diploid androgenetic and mitotic gynogenetic Nile tilapia (*Oreochromis niloticus*L.) 205

Nakamura A → Akagi H
Nance WL → Kubisiak TL
Narayanan KK, Senthilkumar P, Sridhar VV, Thomas G, Thomas J: Organization of the mitochondrial *Cob* 2 pseudogene in different lines of rice 1087
Navarro L → Asíns MJ
Nelson CD → Kubisiak TL
Newbury HJ → Virk PS
Nicolas P → Bonhomme A
Nicolas P → Gentzbittel L
Ninnemann H → Zanke C
Nkongolo KK → Klimaszewska K: Cytological and molecular relationships between *Larix decidua*, *L. leptolepis* and *Larix ×eurolepis*: identification of species-specific chromosoms and synchronization of mitotic cells 827
Noël T, Simoneau P, Labarère J: Heterologous transformation of *Agrocybe aegerita* with a bacterial neomycin-resistance gene fused to a fungal promoter-like DNAsequence 1019
Nordborg M, Walbot V: Estimating allelic diversity generated by excision of different transposon types 771
Novoselskaya AYu → Upelniek VP

O'Malley DM → Plomion C
O'Toole JC → Champoux MC
Odenbach W → Beschorner M
Ogi Y → Yanagihara S
Ogihara Y → Raina SN
Ohmiya A → Kawata M
Ohmori T, Murata M, Motoyoshi F: Identification of RAPD markers linked to the *Tm-2* locus in tomato 307
Oka M → Akagi H
Onodera Y → Senda M
Ooijen JW van → Sandbrink JM
Oono K → Kawata M
Osborn TC → Ferreira ME
Osborn TC → Song K

Pagliaricci S → Pogna NE
Pagnotto G → Ajmone-Marsan P
Paran I, Goldman I, Tanksley SD, Zamir D: Recombinant inbred lines for genetic mapping in tomato 542
Paran I → Goldman IL
Parfitt DE → Badenes ML
Pattanavibool R, Aderkas P von, Hanhijärvi A, Simola LK; Bonga JM: Diploidization in megagametophyte-derived cultures of the gymnosperm *Larix decidua* 671
Penman DJ → Myers JM
Pereira MG, Lee M: Identification of genomic regions affecting plant height in sorghum and maize 380
Perrier X → Lorieux M
Perrier X → Lorieux M
Peruffo ADB → Pogna NE
Peterson CJ → Lee JH
Peterson PA → Seo B-S
Petit RJ → Pons O
Phillips MS → Bradshaw JE
Pienaar R de V → Littlejohn GM
Piepho H-P: Implication of correlations among some common stability statistics – a Monte Carlo simulations 457
Piepho HP:Robustness of statistical tests for multiplicative terms in the additive main effects and multiplicative interaction model for cultivar trials 438
Plomion C, O'Malley DM, Durel CE: Genomic analysis in maritime pine (*Pinus pinaster*). Comparison of two RAPD maps using selfed and open-pollinated seeds of the same individal 1028
Plümper B → Beschorner M
Pogna NE, Redaelli R, Vaccino P, Biancardi AM, Peruffo ADB, Curioni A, Metakovsky EV, Pagliaricci S: Production and genetic characterization of near-isogenic lines in the bread-wheat cultivar Alpe 650
Politov DV → Krutovskii KV
Pons O, Petit RJ: Estimation, variance and optimal sampling of gene diversity I. Haploid locus 462
Powell SF → Myers JM
Prakash S → Vyas P
Prat D → Kertadikara AW
Puigdomènech P → Aledo R
Pupilli F, Businelli S, Caceres ME, Damiani F, Arcioni S: Molecular, cytological and morpho-agronomical characterization of hexaploid somatic hybrids in *Medicago* 347
Purimahua CC → Sandbrink JM

Qi LL → Li WL
Qian H-R, Zhuang J-Y, Lin H-X, Lu J, Zheng K-L: Identification of a set of RFLP probes for subspecies differentiation in *Oryza sativa*L. 878
Quarrie SA → Galiba G
Quinton M → Meuwissen THE
Quiros C → Hu J

Raina SN, Ogihara Y: Ribosomal DNA-repeat unit polymorphism in 49 *Vicia* species 477
Rajapakse S, Belthoff LE, He G, Estager AE, Scorza R, Verde I, Ballard RE, Baird WV, Callahan A, Monet R, Abbott AG: Genetic linkage mapping in peach using morphological RFLP and RAPDmarkers 503
Rajora OP, Dancik BP: Chloroplast DNA variation in *Populus*. I. Intraspecific restriction fragment diversity within *Populus deltoides*, *P. nigra* and *P. maximowiczii* 317
Rajora OP, Dancik BP: Chloroplast DNA variation in *Populus*. III. Novel chloroplast DNA variants in natural *Populus*×*canadensis* hybrids 331
Rajora OP, Dancik BP: Chloroplast DNA-variation in *Populus*. II. Interspecific restriction fragment polymorphisms and genetic relationships among *Populus deltoides*, *P. nigra*, *P. maximowiczii*, and *P. canadensis* 324
Rajora OP, Mahon JD: Paternal plastid DNA can be inherited in lentil 607
Ramakrishna W, Chowdari KV, Lagu MD, Gupta VS, Ranjekar PK: DNAfingerprinting to detect genetic variation in rice using hypervariable DNAsequences 1000
Ramm CW → Beaver JA
Rana KJ → Myers JM
Ranjekar PK → Ramakrishna W
Raz R → Aledo R
Redaelli R → Pogna NE
Reisch BI → Lodhi MA
Restivo FM, Tassi F, Biffi R, Falavigna A, Caporal E, Carboni A, Doldi ML, Spada A, Marziani GP: Linkage Arrangement of RFLP loci in progenies from crosses between doubled haploid *Asparagus officinalis* L. clones 124
Rhoads DD → Stevens MR
Riede CR, Williams ND, Miller JD, Joppa LR: Chromosomal location of genes for stem rust resistance derived from 'Waldron' wheat 1158
Riede CR,Williams ND, Miller JD: Wheat lines monogenic for resistance to stem rust from the wheat cultivar 'Waldron' 1164
Riera-Lizarazu O → Mujeeb-Kazi A
Ritter E → Barzen E
Robbelen G → Hu J
Röbbelen G → Uzunova M
Robbins TP, Gerats AGM, Fiske H, Jorgensen RA: Suppression of recombination in wide hybrids of *Petunia hybrida*as revealed by genetic mapping of marker transgenes 957
Röder MS → Schweizer GF
Rongwen J, Akkaya MS, Bhagwat AA, Lavi U, Cregan PB: The use of microsatellite DNA markers for soybean genotype identification 43
Ronin YI, Kirzhner VM, Korol AB: Linkage between loci of quantitative traits and marker loci: multi-trait analysis with a single marker 776
Ronning CM → Schnell RJ
Rossi P → Vicario F
Ruckenbauer P → Eeuwijk FA van
Rugel H → Schweizer GF
Ruoss B → Zanke C

Saedler H → Dedio J
Saji S → Wang ZX
Salamini F → Barzen E
Salentijn EMJ, Arens-De Reuver MJB, Lange W, De Bock ThSM, Stiekema WJ, Klein-Lankhorst RM: Isolation and characterization of RAPD-based markers linked to the beet cyst nematode resistance locus (*Hs1*$^{pal-1}$) on chromosome 1 of *B.* patellaris 885
Sandbrink JM, Ooijen JW van, Purimahua CC, Vrielink M, Verkerk R, Zabel P, Lindhout P: Localization of genes for bacterial canker resistance in *Lycopersicon peruvianum*using RFLPs 444
Sarkarung S → Champoux MC
Satagopan J → Ferreira ME
Saur L → Eeuwijk FA van
Sauer W → Grebenstein B
Savidan Y → Leblanc O
Savolainen V, Corbaz R, Moncousin C, Spichiger R, Manen J-F: Chloroplast DNA variation and parentage analysis in 55 apples 1138
Sawada R → Akagi H
Schachermayr GM, Messmer MM, Feuillet C, Winzeler H, Winzeler M, Keller B: Identification of molecular markers linked to the *Agropyron elongatum*-derived leaf rust resistance gene *Lr24* in wheat 982
Schaffer A → Hadas R
Schertz KF → Cui YX
Schertz KF → Yu G-W
Schilde-Rentschler L → Zanke C
Schnell RJ, Ronning CM, Knight RJ Jr.: Identification of cultivars and validation of genetic relationships in *Mangifera indica* L. using RAPD markers 269
Schoenmakers HCH → Wolters AMA
Schulte-Kappert E → Barzen E
Schwall M → Link W
Schweizer GF, Baumer M,Daniel G, Rugel H, Röder MS: RFLP markers linked to scald (*Rhynchosporium secalis*) resistance gene *Rh2* in barley 920
Scorza R → Rajapakse S
Sears RG → Cox TS
Sederoff RR → Grattapaglia D
Senadhira D → Garcia A
Senda M, Onodera Y, Kinoshita T, Mikami T: Mitochondrial gene variation and phylogenetic relationships in the genus *Beta* 914
Senthilkumar P → Narayanan KK
Seo B-S, Peterson PA: A transposable element in diverse corn lines, *Ubiquitous* (*Uq*): allelism test 1188
Sharma PC, Winter P, Bünger T, Hüttel B, Weigand F, Weising K, Kahl G: Abundance and polymorphism of di-, tri- and tetra-nucleotide tandem repeats in chickpea (*Cicer arietinum* L.) 90
Shaw DV: Comparison of ancestral and current-generation inbreeding in an experimental strawberry breeding population 237
Shepherd KW → Liu C-Y
Shi L → Zhu T
Shimada T → Abo-elwafa A
Shimamoto Y → Kawata M
Shivanna KR → Vyas P
Sibikeev SN, Voronina SA, Krupnov VA: Genetic control for resistance to leaf rust in wheat-*Agropyron* lines: Agro 139 and Agro 58 618
Silverstein JT, Hershberger WK: Genetics of size and growth rate through sexual maturity in freshwater-reared coho salmon (*Oncorhynchus kisutch*) 733
Simcox KD, McMullen MD, Louie R: Cosegregation of the maize dwarf mosaic virus resistance gene, *Mdm1*, with the nucleolus organizer region in maize 341
Simola LK → Pattanavibool R
Simoneau P → Noël T
Singh BB, Singh DP: Inheritance of spontaneous male sterility in peas 63
Singh DP → Singh BB
Singh M, Ceccarelli S: Estimation of heritability using variety trials data from incomplete blocks 142
Singh M → Link W
Slocum MK → Song K
Smalley EB → Benet H
Snape JW → Galiba G
Snell PJ → Basnayake J
Snijders CHA → Eeuwijk FA van
Song K, Slocum MK, Osborn TC: Molecular marker analysis of genes controlling morphological variation in *Brassica rapa* (syn. *campestris*) 1
Song YC, Gustafson JP: The physical location of fourteen RFLP markers in rice (*Oryza sativa*L.) 113
Spada A → Restivo FM
Spehar CR: Diallel analysis for mineral element absorption in tropical adapted soybeans [*Glycine max* (L.) Merrill] 707
Spichiger R → Savolainen V
Sridhar VV → Narayanan KK
Stavely JR → Johnson E
Stephan U → Hartl L
Stephenson P → Devos KM
Stet RJM → Johnstone R
Stevens MR, Lamb EM, Rhoads DD: Mapping the *Sw-5* locus for tomato spotted wilt virus resistance in tomatoes using RAPD and RFLP analyses 451
Stewart HE → Bradshaw JE
Stiekema WJ → Salentijn EMJ
Stine M → Kubisiak TL
Stranzinger G → Hagger C
Stricker C → Hagger C
Struss D → Hu J
Sutka J → Galiba G
Sutka J → Upelniek VP
Suyama Y → Mukai Y
Suzuki K, Ishimoto M, Iwanaga M, Kikuchi F, Kitamura K: Inheritance of seed α-amylase inhibitor in the common bean and genetic relationship to arcelin 762
Suzuki K → Ishimoto M
Swaminathan MS → Ba Bong B

Takaiwa F → Kawata M
Tanaka R → Irifune K

Tanksley SD → Paran I
Tassi F → Restivo FM
Taylor PWJ, Geijskes JR,Ko H-L, Fraser TA, Henry RJ, Birch RG: Sensitivity of random amplified polymorphic DNA analysis to detect genetic change in sugarcane during tissue culture 1169
Thomas G → Narayanan KK
Thomas J → Narayanan KK
Tomaru N → Mukai Y
Tsumura Y → Mukai Y
Tsunewaki K → Mori N
Tuleen N → Friebe B

Ulloa-G M, Corgan JN, Dunford M: Evidence for nuclear-cytoplasmic incompatibility between *Allium fistulosum*and *A. Cepa* 746
Upelniek VP, Novoselskaya AYu, Sutka J, Galiba G, Metakovsky EV: Genetic variation at storage protein-coding loci of common wheat (cv 'Chinese Spring') induced by nitrosoethylurea and by the cultivation of immature embryos in vitro 372
Uzunova M, Ecke W, Weissleder K, Röbbelen G: Mapping the genome of rapeseed (*Brassica napus* L.) I. Construction of an RFLP linkage map and localization of QTLs for seed glucosinolate content 194

Vaccino P, Metakovsky EV: RFLP patterns of gliadin alleles in *Triticum aestivum* L.: implications for analysis of the organization and evolution of complex loci 173
Vaccino P → Pogna NE
Vallejos CE → He S
Vear F → Gentzbittel L
Vendramin GG → Vicario F
Verde I → Rajapakse S
Verkerk R → Sandbrink JM
Verma MM → Gill JS
Vicario F, Vendramin GG, Rossi P, Liò P, Giannini R: Allozyme, chloroplast DNA and RAPD markers for determining genetic relationships between *Abies alba*and the relic population of *Abies nebrodensis* 1012
Vicient CM → Aledo R
Virk PS, Newbury HJ, Jackson MT, Ford-Lloyd BV: The identification of duplicate accessions within a rice germplasm collection using RAPD analysis 1049
Voronina SA → Sibikeev SN
Vrielink M → Sandbrink JM
Vyas P, Prakash S, Shivanna KR: Production of wide hybrids and backcross progenies between *Diplotaxis erucoides*and crop brassicas 549

Walbot V → Nordborg M
Wang G → Champoux MC
Wang TS → Dai H
Wang ZX, Kurata N, Saji S, Katayose Y, Minobe Y: A chromosome 5-specific repetitive DNA sequence in rice (*Oryza sativa*L.) 907
Wastie RL → Bradshaw JE
Weigand F → Sharma PC
Weising K → Sharma PC
Weiss H → Hartl L
Weissleder K → Uzunova M
Wenzel G → Backes G
Wet JMJ de → Busso CS
William MDHM, Mujeeb-Kazi A: Biochemical and molecular diagnostics of *Thinopyrum bessarabicum* chromosomes in *Triticum aestivum* germ plasm 952
Williams CG, Hamrick JL, Lewis PO: Multiple-population versus hierarchical conifer breeding programs: a comparison of genetic diversity levels 584
Williams ND → Riede CR
Williams ND → Riede CR
Williams PH → Ferreira ME
Williams WP, Buckley PM, Davis FM: Combining ability in maize for fall armyworm and southwestern corn borer resistance based on a laboratory bioassay for larval growth 275
Winter P → Sharma PC
Winzeler H → Schachermayr GM
Winzeler M → Schachermayr GM
Witcombe JR → Busso CS
Wolters AMA, Schoenmakers HCH, Koornneef M: Chloroplast and mitochondrial DNA composition of triploid and tetraploid somatic hybrids between *Lycopersicon esculentum* and *Solanum tuberosum* 285
Woodruff DR → Cooper M
Wu R: A quantitative genetic model for mixed diploid and triploid hybrid progenies in tree breeding and evolution 683

Xie C → Hu Z
Xu G-W, Cui Y-X, Schertz KF, Hart GE: Isolation of mitochondrial DNA sequences that distinguish male-sterility-inducing cytoplasms in *Sorghum bicolor* (L.) Moench 1180
Xu GW → Cui YX

Yanagihara S, McCouch SR, Ishikawa K, Ogi Y, Maruyama K, Ikehashi H: Molecular analysis of the inheritance of the *S-5* locus, conferring wide compatibility in Indica/Japonica hybrids of rice (*O. sativa* L.) 182
Yandell BS → Ferreira ME
Yang Da, Lewin HA: Linkage information content and efficiency of full-sib and half-sib designs for gene mapping 699
Yeo AR → Garcia A
Yoshimaru H → Mukai Y
Yu Z-H → He S

Zabel P → Sandbrink JM
Zamir D → Goldman IL
Zamir D → Paran I
Zanke C, Borisjuk N, Ruoss B, Schilde-Rentschler L, Ninnemann H, Hemleben V: A specific oligonucleotide of the 5S rDNA spacer and species-specific elements identify symmetric somatic hybrids between *Solanum tuberosum* and *S. pinnatisectum* 720
Zeller FJ → Hartl L
Zhang X → Hu Z
Zhang Y-X → Gentzbittel L
Zheng J → Irifune K
Zheng K-L → Qian H-R
Zhong G-Y, Dvorak J: Chromosomal control of the tolerance of gradually and suddenly imposed salt stress in the *Lophopyrum elongatum* and wheat, *Triticum aestivum*L., genomes 229
Zhu T, Shi L, Doyle JJ, Keim P: A single nuclear locus phylogeny of soybean based on DNAsequence 991
Zhuang J-Y → Qian H-R

Table of contents, Vol. 90, 1995 I–IX

Indexed in *Current Contents*